Amendment to the Claims:

Please replace the current set of claims in the application with the following Listing of Claims:

Listing of Claims:

- 1. (Previously presented) Method for determining the effects of a fancy yarn by measuring the yarn diameter, wherein the yarn sections between the effect areas are referred to as webs, characterized in that the effect area is determined in that the beginning of the effect is defined by meeting a first criterion and the end of the effect is defined by meeting a second criterion, in that a specifiable number of the largest diameters is determined between the beginning and end of the effect, in that an average is formed from the diameters determined, which is specified as the diameter of the effect, and in that the effect length is determined from the beginning and end of the effect.
- 2. (Previously presented) Method according to claim 1, characterized in that the web diameter D_{ST} is determined, in order to determine the relative effect thickness.
- 3. (Previously presented) Method according to claim 1, characterized in that to determine the web diameter D_{ST} , an arithmetic average of the yarn diameter is initially formed from a predetermined length of yarn as the reference diameter, in that the reference diameter is subtracted from the individual values of the yarn diameter, and in that the web diameter D_{ST} is then formed as the arithmetic average from all negative values, which were measured adjacent to other negative values.

- 4. (Previously presented) Method according to claim 1, characterized in that the diameter D_E of the effect is formed as an average from the four largest diameters between the beginning and end of the effect.
- 5. (Currently amended) Method according to any one of claims 1 to 4 claim 1, characterized in that the exceeding of a limit diameter D_{GR} applies as the first criterion, which diameter is greater by a defined amount than the web diameter D_{ST} and in that the exceeding lasts over a predetermined yarn length L_{V1} and in that the falling below of the limit diameter D_{GR} applies as the second criterion and the falling below lasts over a predetermined yarn length L_{V2} .
- 6. (Previously presented) Method according to claim 5, characterized in that the limit diameter D_{GR} is 15% greater than the web diameter D_{ST} .
- 7. (Previously presented) Method according to claim 5, characterized in that the predetermined yarn length is then taken to be reached when the criterion is met over six consecutive measured values.
- 8. (Previously presented) Method according to claim 1, characterized in that a measured value is detected every two millimeters when measuring the yarn diameter.
- 9. (Previously presented) Method according to claim 1, characterized in that the variation in the diameter is determined on the effect length.

- 10. (New) Method for determining the effects of a fancy yarn by measuring the yarn diameter, wherein the yarn sections between the effect areas are referred to as webs, characterized in that the effect area is determined in that the beginning of the effect is defined by meeting a first criterion and the end of the effect is defined by meeting a second criterion, in that a specifiable number of the largest diameters is determined between the beginning and end of the effect, in that an average is formed from the diameters determined, which is specified as the diameter of the effect, and in that the effect length is determined from the beginning and end of the effect, the method being characterized in that the exceeding of a limit diameter D_{GR} applies as the first criterion, which diameter is greater by a defined amount than the web diameter D_{ST} and in that the exceeding lasts over a predetermined yarn length L_{V1} and in that the falling below of the limit diameter D_{GR} applies as the second criterion and the falling below lasts over a predetermined yarn length L_{V2} .
- 11. (New) Method according to claim 10, characterized in that the limit diameter D_{GR} is 15% greater than the web diameter D_{ST} .
- 12. (New) Method according to claim 10, characterized in that the predetermined yarn length is then taken to be reached when the criterion is met over six consecutive measured values.